decimal App Documentation - https://apps.dotdecimal.com/

# **Electron Block Creation**

2025/06/07 17:59

Here the user can create and edit Electron Blocks for the selected beam as well as edit values for an existing block.

▼ Collimatio	on			
Use Skin Collimation				
Block Size				
Size:	6x6 🔻			
Description:				
Use Primitiv	ve Snape			
Target Margin				
Margin:	- 1 + cm			
Avoidance Structures				
Add Structure	▼			
Manual Edits	Enable			
Draw on the beam's eye view to manually add or remove material.				
Shape Smoothing				
Level:	- 10 +			

Fig. 1: Electron block controls

# **Block Size**

• **Size:** Select the block size. The list of available block sizes is derived from the list of applicator (cone) sizes available for the selected machine. Applicator sizes can be enabled and disabled from editing the machine data in the site configuration.

**Note:** When first creating a beam the eRT app will auto calculate the smallest block that will fit the current aperture shape.

Collimation	on in the second s			
Use Skin C	ollimation			
Block Size				
Size:	6x6 🔻			
Description:	6x6			
	10x10			
	15x15			
Use Primiti	20x20			
Target Margin	25x25			
Margin:	- 1 + cm			
Avoidance Str	uctures			
Add Structure	•			
Manual Edits Enable Draw on the beam's eye view to manually add or remove material.				
Shape Smooth	ning			
Level:	- 10 +			

Fig. 2: Block size options

**Note** Selecting a block size that is too small for the aperture shape will cause an error that will not allow the creation/saving of the beam until an appropriate size is selected.

▼ Collimati	on	
🛕 Invalid t	block size for selected target	
Use Skin (	Collimation	
Block Size		

Fig. 3: Block size too small

• **Description:** An optional description for this block used to identify it.

### **Target Margin**

Margin: The value (in cm) of the margin around the target structure as projected to isocenter. A
negative margin can be used to specify a contraction around the beam target while positive values
will cause an expansion. The default block target margin can be configured in the Site
Configuration Machine Settings.

Note: The app will automatically recalculate and display changes to the block as the margin is edited.



Fig. 4: Block target margin

# **Primitive Shape**

Instead of using the geometric target, the user may use a primitive shape as the base block opening instead. The user can choose the shape (square, circle, rectangle, or oval) and the dimensions at isocenter.

Views       Sagital       Coronal       Transverse       20       BEV       DVH       Statistics       Does Line       Compositions       Ontho + BEV       Ontho + 30       30 + BEV         Pause Calculations       -	/ Othe+DVH DVH+Stads Othe+Dea
Pause Calculations     -       • Ganeral     larget asso       • Approach     00 deg. C0 deg. C10 deg. SSD 100.0 cm       • Energy Selection     energy: 9 MeV       • Normalization     54.0 Cy (27 Gy per Fc) 3158 MU (per Fc)       • Collination     54.0 Cy (27 Gy per Fc) 3158 MU (per Fc)       • Collination     use sine Collenation	
• Ganaral     Iarget now       • Approach     00 dog, C0 dog, C1,0 dog, S300 100 cm       • Energy Selection     energy: 9 MeV       • Normalization     54 0 dy (27 dy pr.Fx)       • Collination     use sinc collenator	
Paproach 00 deg. C0 deg. C1 deg. SSD 100 8 cm energy Selection energy: 9 MeV Normalization 54 8 0y (27 0y per Fc) 315 8 MU (per Fc) / Collimation / De Selectionation	
Energy Selection energy: 3 MeV Normalization 54 0 07 (27 07 per Fr) 315 8 MU (per Fr) Collimation Une selectionation	
Normalization \$40 Gy (27 Gy per Fig 315 8 MJ (per Fig) Coltinuation Use Star Coltination	
Collimation Use Star Collimation	
Use Sin Colimates	
See 64 -	
Use Printise Stape	
nitve Shape	
Shope Cost •	
hander = t = + on	
Xander = 5 + cr	
Arge = 45 + 4eg	
Hence Structures	
I Shudave •	
Head Edith Stratus	
w on the beam's eye where is manually add or remove material.	
te smoothing	
Bolus none -	

Fig. 5: Primitive shape controls

### **Avoidance Structures**

The user may select one or more structures in the structure list here to add as an avoidance structure. Avoidance structures will decrease the block opening to remove all areas within the projection of the structure.





Fig. 6: Avoidance structure selection

Once the structure is selected you will be able to set the values for how it should be avoided. Including:

• Avoidance Margin: required, sets the margin of avoidance around the selected structure's projection to the isocenter plane.



- Fig. 7: Selected avoidance structure
  - Force min target margin: disabled by default, when enabled it will force a minimum margin around the target taking priority over the settings of the avoidance structure.

**For example:** As shown below, there is an overlap between the margin set for the avoidance structure and our target structure. Since "force min target margin" is disabled, the avoidance margin has priority over the target.

5/9




Fig. 8: Force min target margin is off

If the user decides that the target should have priority over the avoidance structure we can enable the "force min target margin" and set a min margin for our target. As you can see below the min margin set takes priority over our avoidance margin and there is no more overlap.





Fig. 9: Force min target margin is on


 Occlude by target: The user may also choose to occlude the structure by the target or not by using the "Occlude by Target" option. For the following examples we will use the Spinal Cord as it shows a dramatic example of differences of using or not using the "Occlude by Target" option. A 5mm margin was applied to the Cord for the following examples.

▼ Collimation					
Use Skin Collimation					
Block Size					
Size: 20x20 ·					
Description:					
Target Margin					
Margin: - 1 + cm					
Avoidance Structures					
Cord   Cord  Cockude by Target	×				
Avoidance Margin: – 0.5 + cm					
Force Min Target Margin: - 0 + cm					
Add Structure +					

 Checking the "Occlude by Target" option makes the calculations account for the relative depth positions of the target and avoidance structure when determining the area to avoid. More specifically, the visible portion of the target (target volume that is in front of the avoidance structure) will not be blocked by the aperture. Note that just the inferior edge of the Cord is blocked by the aperture as this is the only portion that is visible (not behind the target) and the part of the Cord that is behind the PTV is not blocked.



 Unchecking the "Occlude by Target" option makes the calculations ignore the depth order. This means the entire avoidance structure will be blocked, regardless of whether it is behind or in front of the target. In this example, the aperture now blocks out all of the Cord.



# **Manual Edits**

By default manual editing of the block shape it disabled, but a user can elect to enable the ability to manually change the block shape.





Fig. 10: Enabling manual edits

Once manual editing has been enabled you will see the cursor update to reflect the editing tool. You can choose to edit with the Brush cursor or by drawing straight lines using the Line tool. Both take in the radius that can also be set by the user to alter the size of the editing tool.

**Note:** Drawing on the "Exterior" of the aperture shape will shrink the shape of the block as can be seen below.



#### Fig. 11: Shrinking the block shape

**Note:** Drawing from the "Interior" of the aperture shape will expand the shape of the block as can be seen below.




Fig. 12: Expanding the block shape

# Shape Smoothing

• Level: Sets the level of smoothing applied to the block shape.

**Note:** The app will automatically recalculate and display changes to the block based on the set smoothing level.




Fig. 13: Setting the smoothing level for the block

#### From: https://apps.dotdecimal.com/ - decimal App Documentation

Permanent link: https://apps.dotdecimal.com/doku.php?id=electronrt:userguide:tutorials:electron\_blocks

Last update: 2022/04/18 19:12