2025/04/19 21:02 1/3 defining constraints

## **Defining Constraints**




Constraints can be set in multiple levels and will do different things. The following will provide a walk through of the different levels and how constraints work at each one.

## **About Fraction Groups**

In the Fraction Group the user will put in the total target(s) dose, i.e. simultaneous integrated boost (SIB), as well as the total number of fractions. The user will then further break the into Beam Set groups where beams are assigned to a group and a specific number of fractions.

## **Working with Fraction Groups**

1. Select the Create New Fraction Group button



- 2. In the newly opened block the planner will:
  - choose the color the fraction will be denoted in
  - type in any descriptor that may be needed
  - enter the total number of fractions to be treated
  - enter the group constraints
    - group constraints encompass the whole fraction group

2025/04/19 21:02 2/3 defining\_constraints



- there can be more than one target entered at this stage
- 3. Select New Beam Set Group
  - select the target and create a beam set that will be associated to that that target
  - there may be multiple beam sets associated to a target
  - the constraints chosen at this point will just be associated to the particular beam set



 the user may also have multiple beam set groups associated with multiple targets within a plan 2025/04/19 21:02 3/3 defining\_constraints



• the user needs to set the constraints for each beam set group. These constraints only apply to the associated beam set group

From:

https://apps.dotdecimal.com/ - decimal App Documentation

Permanent link:

 $https://apps.dotdecimal.com/doku.php?id=planning:userguide:walkthroughs:defining\_constraints\&rev=1470168833$ 

Last update: 2021/07/29 18:25